

Electricity market: analytical approach (...to problem of producer)

Didier Aussel, Pascale Bendotti, Miroslav Pištěk

University of Perpignan, EDF R&D, France
Academy of Sciences, Czech Republic

Algorithms and Dynamics for Games and Optimization 2013
Playa Blanca, Chile

18 October

Electricity market: analytical approach (...to problem of producer)

Didier Aussel, Pascale Bendotti, Miroslav Pištěk

University of Perpignan, EDF R&D, France
Academy of Sciences, Czech Republic

Algorithms and Dynamics for Games and Optimization 2013
Playa Blanca, Chile (FIRST TIME HERE.-)

18 October

Outline

Modeling of Electricity Markets

Basic Overview, Notation

Aim of Study

(Generalized) Nash Equilibrium Problem

Problem of ISO

Formulation of ISO Problem

Analytic Solution to ISO Problem


Problem of Producer i

Assumptions


The Best Response of Producer i

Conclusion

Modern Electric Grid



Modern Electric Grid ...is very complex to handle



Modeling of Electricity Markets

- ▶ electricity market consists of
 - i) **generators/consumers** respect their own interests in competition with others
 - ii) **market operator (ISO)** who maintain energy generation and load balance, and protect **public welfare**

- ▶ the ISO has to consider:
 - i) the **market power** or participants
 - ii) **quantities** of generated/consumed electricity
 - iii) **electricity dispatch** with respect to transmission capacities

Modeling of Electricity Markets

- ▶ electricity market consists of
 - i) **generators/consumers** respect their own interests in competition with others
 - ii) **market operator (ISO)** who maintain energy generation and load balance, and protect **public welfare**
- ▶ the ISO has to consider:
 - i) the **market power** of participants
 - ii) **quantities** of generated/consumed electricity
 - iii) **electricity dispatch** with respect to transmission capacities
- ▶ since 1990s, **Nash equilibrium problem** is the most popular way of modeling spot electricity markets

Notation

Let

- ▶ $D > 0$ be the overall energy demand of **all consumers**
- ▶ \mathcal{N} be the set of producers
- ▶ $q_i \geq 0$ be the production of i -th producer, $i \in \mathcal{N}$
- ▶ $A_i q_i + B_i q_i^2$ the true production cost of i -th producer

Notation

Let

- ▶ $D > 0$ be the overall energy demand of **all consumers**
- ▶ \mathcal{N} be the set of producers
- ▶ $q_i \geq 0$ be the production of i -th producer, $i \in \mathcal{N}$
- ▶ $A_i q_i + B_i q_i^2$ the true production cost of i -th producer


Similarly, we assume that producer $i \in \mathcal{N}$ provides to the ISO a quadratic bid function

$$a_i q_i + b_i q_i^2$$

given by non-negative parameters $a_i, b_i \geq 0$.


Why Quadratic Cost/Bid Functions?

- ▶ $A_i q_i + B_i q_i^2$ reflects the **increasing marginal cost** of production
- ▶ $a_i q_i + b_i q_i^2$ provides a reasonable approximation to “boxes functions” usually used in real-world markets



Why Quadratic Cost/Bid Functions?

- ▶ $A_i q_i + B_i q_i^2$ reflects the **increasing marginal cost** of production
- ▶ $a_i q_i + b_i q_i^2$ provides a reasonable approximation to “boxes functions” usually used in real-world markets



Aim of Study

Consider a particular producer $i \in \mathcal{N}$.

Then, knowing the overall demand $D > 0$ and bid vectors $(a_{-i}, b_{-i}) \in \mathbb{R}_+^{2N}$ provided by other producers, we search for **the best response** $(a_i, b_i) \in \mathbb{R}_+^2$ of producer i in order to maximize his profit

$$\pi_i(a, b) = a_i q_i + b_i q_i^2 - (A_i q_i + B_i q_i^2)$$

Aim of Study

Consider a particular producer $i \in \mathcal{N}$.

Then, knowing the overall demand $D > 0$ and bid vectors $(a_{-i}, b_{-i}) \in \mathbb{R}_+^{2N}$ provided by other producers, we search for **the best response** $(a_i, b_i) \in \mathbb{R}_+^2$ of producer i in order to maximize his profit

$$\pi_i(a, b) = a_i q_i + b_i q_i^2 - (A_i q_i + B_i q_i^2)$$

We realized that we can not **avoid linear bids** $b_i = 0$.

Generalized Nash Equilibrium Problem

Peculiarity of electricity markets is their **bi-level** structure:

$$P_i(a_{-i}, b_{-i}) \quad \max_{a_i, b_i} \max_{q_i} a_i q_i + b_i q_i^2 - (A_i q_i + B_i q_i^2)$$

such that

$$\begin{cases} a_i, b_i \geq 0 \\ (q_j)_{j \in \mathcal{N}} \in Q(a, b) \end{cases}$$

where set-valued mapping $Q(a, b)$ denotes solution set of

$$ISO(a, b) \quad Q(a, b) = \underset{q}{\operatorname{argmin}} \sum_{i \in \mathcal{N}} (a_i q_i + b_i q_i^2)$$

such that

$$\begin{cases} q_i \geq 0, \forall i \in \mathcal{N} \\ \sum_{i \in \mathcal{N}} q_i = D \end{cases}$$

Generalized Nash Equilibrium Problem

Peculiarity of electricity markets is their **bi-level** structure:

$$P_i(a_{-i}, b_{-i}) \quad \max_{a_i, b_i} \min_{q_i} \quad a_i q_i + b_i q_i^2 - (A_i q_i + B_i q_i^2)$$

such that

$$\begin{cases} a_i, b_i \geq 0 \\ (q_j)_{j \in \mathcal{N}} \in Q(a, b) \end{cases}$$

where set-valued mapping $Q(a, b)$ denotes solution set of

$$ISO(a, b) \quad Q(a, b) = \underset{q}{\operatorname{argmin}} \quad \sum_{i \in \mathcal{N}} (a_i q_i + b_i q_i^2)$$

such that

$$\begin{cases} q_i \geq 0, \forall i \in \mathcal{N} \\ \sum_{i \in \mathcal{N}} q_i = D \end{cases}$$

Reduction to Nash Equilibrium Problem

Whenever ISO(a,b) has an unique solution, $Q(a, b) = \{q(a, b)\}$, the problem $P_i(a_{-i}, b_{-i})$ may be restated as

$$\max_{a_i, b_i \geq 0} [a_i q_i(a, b) + b_i q_i(a, b)^2 - (A_i q_i(a, b) + B_i q_i(a, b)^2)]$$

with ISO(a,b) **implicitly considered**.

Reduction to Nash Equilibrium Problem

Whenever ISO(a,b) has an unique solution, $Q(a, b) = \{q(a, b)\}$, the problem $P_i(a_{-i}, b_{-i})$ may be restated as

$$\max_{a_i, b_i \geq 0} [a_i q_i(a, b) + b_i q_i(a, b)^2 - (A_i q_i(a, b) + B_i q_i(a, b)^2)]$$

with ISO(a,b) **implicitly considered**.

However, this approach is only formal if we do not have **a formula for $q(a, b)$** .

Reduction to Nash Equilibrium Problem

Whenever ISO(a,b) has an unique solution, $Q(a, b) = \{q(a, b)\}$, the problem $P_i(a_{-i}, b_{-i})$ may be restated as

$$\max_{a_i, b_i \geq 0} [a_i q_i(a, b) + b_i q_i(a, b)^2 - (A_i q_i(a, b) + B_i q_i(a, b)^2)]$$

with ISO(a,b) **implicitly considered**.

However, this approach is only formal if we do not have **a formula for $q(a, b)$** .

Moreover, uniqueness of ISO(a,b) is also unavoidable when it comes to **real-world markets**.

Uniqueness of ISO(a,b) Problem

There are at least three ways for obtaining uniqueness of ISO(a,b):

- ▶ to assume $b_i > 0$ (Hu and Ralph, 2007)

Uniqueness of ISO(a,b) Problem

There are at least three ways for obtaining uniqueness of ISO(a,b):

- ▶ to assume $b_i > 0$ (Hu and Ralph, 2007)
- ▶ to consider thermal losses (Outrata et al., 2010; Aussel et al., 2012)

Uniqueness of ISO(a,b) Problem

There are at least three ways for obtaining uniqueness of ISO(a,b):

- ▶ to assume $b_i > 0$ (Hu and Ralph, 2007)
- ▶ to consider thermal losses (Outrata et al., 2010; Aussel et al., 2012)
- ▶ to assume **equity property** (Aussel and Pištěk, 2013)

Equity property assumption reads:

$$(H) \quad (\forall i, j \in \mathcal{N}) ((a_i, b_i) = (a_j, b_j) \implies q_i = q_j),$$

i.e., the ISO does not make any difference among producers.

Formulation of ISO Problem

Knowing overall demand $D > 0$ and bid vectors $(a, b) \in \mathbb{R}_+^{2N}$ provided by producers, the ISO computes $q \in \mathbb{R}_+^N$ in order to minimize the total generation cost.

$$\begin{array}{l} \min_q \sum_{i \in \mathcal{N}} (a_i q_i + b_i q_i^2) \\ \text{s.t.} \left\{ \begin{array}{l} q_i \geq 0, \forall i \in \mathcal{N} \\ b_i > 0, \forall i \in \mathcal{N} \\ \sum_{i \in \mathcal{N}} q_i = D \end{array} \right. \end{array}$$

This problem has a unique solution.

Formulation of ISO Problem

Knowing overall demand $D > 0$ and bid vectors $(a, b) \in \mathbb{R}_+^{2N}$ provided by producers, the ISO computes $q \in \mathbb{R}_+^N$ in order to minimize the total generation cost.

$$\begin{aligned} \min_q \quad & \sum_{i \in \mathcal{N}} (a_i q_i + b_i q_i^2) \\ \text{s.t.} \quad & \left\{ \begin{array}{l} q_i \geq 0, \quad \forall i \in \mathcal{N} \\ (a_i, b_i) = (a_j, b_j) \implies q_i = q_j, \quad \forall i, j \in \mathcal{N} \quad (\text{H}) \\ \sum_{i \in \mathcal{N}} q_i = D \end{array} \right. \end{aligned}$$

This problem **also has a unique solution!**

More Notation, Critical Parameters of ISO

To analyse problem ISO(a,b) further, we introduce

$$\begin{aligned}\mathcal{N}_a(\lambda) &= \{i \in \mathcal{N} \mid a_i < \lambda \in \mathbb{R}_+\} \subset \mathcal{N} \\ F(a, b, \lambda) &= \sum_{i \in \mathcal{N}_a(\lambda)} \frac{\lambda - a_i}{2b_i}\end{aligned}$$

More Notation, Critical Parameters of ISO

To analyse problem ISO(a, b) further, we introduce

$$\begin{aligned}\mathcal{N}_a(\lambda) &= \{i \in \mathcal{N} \mid a_i < \lambda \in \mathbb{R}_+\} \subset \mathcal{N} \\ F(a, b, \lambda) &= \sum_{i \in \mathcal{N}_a(\lambda)} \frac{\lambda - a_i}{2b_i}\end{aligned}$$

Since we allow $b_i = 0$, we need to introduce several more variables

$$\begin{aligned}\lambda^c(a, b) &= \min_{i \in \mathcal{N}, b_i=0} a_i \\ D^c(a, b) &= F(a, b, \lambda^c(a, b)) \\ \mathcal{N}^c(a, b) &= \{i \in \mathcal{N} \mid a_i = \lambda^c(a, b), b_i = 0\}\end{aligned}$$

Their meaning will be clarified soon.

Market Marginal Price

The previous observation justifies the following definition

$$\lambda(a, b, D) = \begin{cases} \lambda \in \mathbb{R}_+ \text{ s.t. } F(a, b, \lambda) = D \text{ if } D \in]0, D^c(a, b)[\\ \lambda^c(a, b) \text{ if } D \geq D^c(a, b) \end{cases} \quad (1)$$

For any $(a, b) \in \mathbb{R}_+^{2N}$ function $\lambda(a, b, D)$ is continuous and piece-wise linear in D .

Market Marginal Price


The previous observation justifies the following definition

$$\lambda(a, b, D) = \begin{cases} \lambda \in \mathbb{R}_+ \text{ s.t. } F(a, b, \lambda) = D & \text{if } D \in]0, D^c(a, b)[\\ \lambda^c(a, b) & \text{if } D \geq D^c(a, b) \end{cases} \quad (1)$$


For any $(a, b) \in \mathbb{R}_+^{2N}$ function $\lambda(a, b, D)$ is continuous and piece-wise linear in D .

We denote $m^\pm(a, b, D) := \partial_D^\pm \lambda(a, b, D)$.

Formulation of ISO Problem

Example, $\lambda^c(a, b) = +\infty$ 

Formulation of ISO Problem

Example, $\lambda^c(a, b) = 7$ 

Analytic Solution to ISO(a,b) Problem

Theorem

Let $D > 0$ and $(a, b) \in \mathbb{R}_+^{2N}$, then ISO(a, b) admits a unique solution obeying the equity property (H) with $q(a, b)$ given by

$$q_i(a, b) = \begin{cases} \frac{\lambda(a, b, D) - a_i}{2b_i} & \text{if } a_i < \lambda(a, b, D) \\ \frac{D - D^c(a, b)}{N^c(a, b)} & \text{if } a_i = \lambda(a, b, D), b_i = 0 \\ 0 & \text{if } a_i > \lambda(a, b, D), \text{ or } a_i = \lambda(a, b, D), b_i > 0 \end{cases}$$

Analytic Solution to ISO(a,b) Problem

Theorem

Let $D > 0$ and $(a, b) \in \mathbb{R}_+^{2N}$, then $ISO(a, b)$ admits a unique solution obeying the equity property (H) with $q(a, b)$ given by

$$q_i(a, b) = \begin{cases} \frac{\lambda(a, b, D) - a_i}{2b_i} & \text{if } a_i < \lambda(a, b, D) \\ \frac{D - D^c(a, b)}{N^c(a, b)} & \text{if } a_i = \lambda(a, b, D), b_i = 0 \\ 0 & \text{if } a_i > \lambda(a, b, D), \text{ or } a_i = \lambda(a, b, D), b_i > 0 \end{cases}$$

Denoting $C(a, b, D)$ the overall cost of production, it holds

$$\lambda(a, b, D) = \partial_D C(a, b, D).$$

Analytic Solution to ISO(a, b) Problem

Theorem

Let $D > 0$ and $(a, b) \in \mathbb{R}_+^{2N}$, then ISO(a, b) admits a unique solution obeying the equity property (H) with $q(a, b)$ given by

$$q_i(a, b) = \begin{cases} \frac{\lambda(a, b, D) - a_i}{2b_i} & \text{if } a_i < \lambda(a, b, D) \\ \frac{D - D^c(a, b)}{N^c(a, b)} & \text{if } a_i = \lambda(a, b, D), b_i = 0 \\ 0 & \text{if } a_i > \lambda(a, b, D), \text{ or } a_i = \lambda(a, b, D), b_i > 0 \end{cases}$$

Denoting $C(a, b, D)$ the overall cost of production, it holds

$$\lambda(a, b, D) = \partial_D C(a, b, D).$$

Moreover, we may compute all **limits and directional derivatives!**

Problem of Producer i , $P_i(a_{-i}, b_{-i})$

Once formula for $q_i(a, b)$ is achieved, for profit $\pi_i(a, b)$ we have

$$\pi_i(a, b) = a_i q_i(a, b) + b_i q_i(a, b)^2 - (A_i q_i(a, b) + B_i q_i(a, b)^2)$$

and thus for fixed $(a_{-i}, b_{-i}) \in \mathbb{R}_+^{2N-2}$ problem $P_i(a_{-i}, b_{-i})$ reads

$$\max_{a_i, b_i \geq 0} \pi_i(a_i, a_{-i}, b_i, b_{-i})$$

Assumptions

Theorem

Assume $D > 0$, and for $i \in \mathcal{N}$ consider $(a_{-i}, b_{-i}) \in \mathbb{R}_+^{2N-2}$ and $q(a, b)$ a unique solution to ISO(a, b). Then, the i -th player profit $\pi_i(a, b)$ satisfies one of the following statements:

(a) for $a_i < \lambda(a_{-i}, b_{-i}, D)$ and $b_i > 0$ we have


$$\pi_i(a, b) = \frac{\lambda(a, b, D) - a_i}{4b_i^2} [a_i b_i - 2A_i b_i + a_i B_i + \lambda(a, b, D)(b_i - B_i)]$$

(b) for $0 < a_i \leq \lambda(a_{-i}, b_{-i}, D)$ and $b_i = 0$ (and so $a_i = \lambda^c(a, b)$)

$$\pi_i(a, b) = (\lambda^c(a, b) - A_i) \frac{D - D^c(a, b)}{N^c(a, b)} - B_i \left(\frac{D - D^c(a, b)}{N^c(a, b)} \right)^2,$$

(c) $\pi_i(a, b) \leq 0$ otherwise

Assumptions

Example: $\pi_i(a_i, b_i)$ 

Partial Directional Derivatives of $\pi_i(a, b)$

Now, we may calculate partial directional derivatives:

$$\partial_{a_i}^{\pm} \pi_i(a, b, D) = \frac{1}{4b_i^3} \times \left[(\lambda(a, b, D) - A_i)(m^{\pm}(a, b, D)b_i - 2b_i^2) \right. \\ \left. - (\lambda(a, b, D) - a_i)(m^{\pm}(a, b, D)B_i - 2b_iB_i - 2b_i^2) \right]$$

$$\partial_{b_i}^{\pm} \pi_i(a, b, D) = \frac{\lambda(a, b, D) - a_i}{4b_i^4} \times \left[(\lambda(a, b, D) - A_i)(m^{\pm}(a, b, D)b_i - 2b_i^2) \right. \\ \left. - (\lambda(a, b, D) - a_i)(m^{\pm}(a, b, D)B_i - 2b_iB_i - b_i^2) \right]$$

The Best Response of Producer $i \in \mathcal{N}$

Theorem

Let $(a, b) \in \mathbb{R}_+^{2N}$ and $D > 0$. If (a_i, b_i) is the i -th producer's best response such that $\pi_i(a, b) > 0$, then $b_i = 0$.

The Best Response of Producer $i \in \mathcal{N}$

Theorem

Let $(a, b) \in \mathbb{R}_+^{2N}$ and $D > 0$. If (a_i, b_i) is the i -th producer's best response such that $\pi_i(a, b) > 0$, then $b_i = 0$.

Theorem

Let $(a_{-i}, b_{-i}) \in \mathbb{R}_+^{2N-2}$ such that $\mathcal{N}^c(a_{-i}, b_{-i}) = \emptyset$, $D > F(a_{-i}, b_{-i}, A_i)$ and $b_i = 0$. Then, the best response $(a_i, 0)$ of producer $i \in \mathcal{N}$ yielding $\pi_i(a, b) > 0$ is a **unique solution** to


$$G^+(a_{-i}, b_{-i}, a_i) \geq D \geq G^-(a_{-i}, b_{-i}, a_i)$$

with

$$G^\pm(a_{-i}, b_{-i}, \lambda) = \frac{\lambda - A_i}{2B_i + m^\pm(a_{-i}, b_{-i}, F(a_{-i}, b_{-i}, \lambda))} + F(a_{-i}, b_{-i}, \lambda).$$

The Best Response of Producer i

Example: $\pi_i(a, b)$ with $b_i = 0$ and $\mathcal{N}^c(a_{-i}, b_{-i}) = \emptyset$



Main Achievements

- ▶ we found the **analytic solution $q(a, b)$** of ISO problem, including linear bids $b_i = 0$ and assuming a newly introduced **equity property**
- ▶ we shown that the best response of producer i is a **linear bid**, $a_i > 0$ and $b_i = 0$
- ▶ we derived implicit formula for optimal a_i under quite general conditions, we shown **existence and uniqueness of such bid**

Further Extensions

There are several possible extensions of the proposed model/technique

- ▶ to **characterize all Nash Equilibria** of the proposed model
- ▶ to consider transmission network
- ▶ to add production bounds $q_i \leq \bar{q}_i$

Thank you for your attention.

Selected References

- ▶ X. Hu and D. Ralph, *Using EPECs to Model Bilevel Games in Restructured Electricity Markets with Locational Prices*, Operations Research 55 (2007), 809-827.
- ▶ D. Aussel, M. Cervinka and M. Marechal, Day-ahead electricity market with production bounds, (2012), 24 pp.
- ▶ D. Aussel, R. Correa and P. Marechal *Spot electricity market with transmission losses*, J. Indust. Manag. Optim. (2012), 18 pages.
- ▶ R. Henrion, J.V. Outrata and T. Surowiec, Analysis of M-stationary points to an EPEC modeling Oligopolistic Competition in an Electricity Spot Market, ESAIM: COCV 18 (2012) 295-317